

# Index

- Aedes*, 6, 7, 8, 28, 35, 38, 95, 96, 103  
*Aedes aegypti*, 35  
Aid workers, 1  
*Anopheles*, 6, 7, 28  
Antidotes, 74, 75  
Arbovirus, 17  
Arbovirus diseases, 17  
Arthropods, 5  
Average treated surface areas, 63  
Backpack motorised mistblowers, 60, 61, 99, 100, 101, 102, 103  
Bancroftian filariasis, 8  
Behaviour, 8, 28  
Biological control, 28  
Biological vector, 4  
*Biomphalaria*, 17  
Biting mites, 12, 102  
Black rat, 14  
Blackfly, 16  
Brown rat, 14  
Brugian filariasis, 8  
*Bulinus*, 17  
*C. quinquefasciatus*, 8, 28, 38  
Camp organisation, 19  
Chagas disease, 16  
Chemical classification, 24  
Chemical control measures, 23, 33, 40  
Cholinesterase, 74  
*Chrysomya species*. (Blowflies), 9  
*Chrysops*, 16, 90  
*Cimex spp.*, 16  
Class Arachnida, 5, 12  
Class Insecta, 5  
Cockroaches, 5, 17, 58, 86, 87, 99  
Concentration, ix, 28, 80, 86, 87, 88, 90, 92, 93, 98  
Control measures, 18, 23, 33, 40, 41, 45, 70, 105  
Control programme, 2, 23, 25, 29, 33, 34, 35, 36, 41, 44, 45, 46, 48, 50, 51, 52, 56, 57, 58, 63, 66, 69, 70, 71, 72, 73, 74, 75, 88, 91, 98, 105, 107, 108  
Control strategy, 2, 58  
Cost factors, 57  
Counts, 35  
Criteria, 50, 52, 55  
*Culex*, 6, 7, 8, 22, 25, 38, 95, 103  
Cyclops, ix, 5, 17, 22, 98, 104  
DDT, x, 25, 27, 38, 94  
Dengue, 8  
Dengue Haemorrhagic fever, 8  
Disposal of dead bodies, 21  
Domestic flies, 9  
Dustable Powder (DP), 53, 54  
Dusting, 24  
Environmental control measures, 18, 33  
Environmental sanitation, 103  
Equipment, 51, 52, 55, 99, 100, 101, 102, 103, 104  
Exposure, 26  
First aid, 73  
Fleas, 5, 13, 14, 87, 99, 106  
Flies, 5, 28  
Food Storage, 20  
Glossina, 16, 25, 26  
Granules (GR), 53  
Guinea worm or Dracunculiasis, 17

## EMERGENCY VECTOR CONTROL

- Habitat, 14
- Haemugogus* species, 35
- Hard tick, 17
- Health statistics, 35, 51, 52
- Host country role, 41
- House mouse, 14
- Hygiene, 31, 71
- Hygiene facilities, 71
- Hygiene promotion, 31
- Identification, 35, 41, 44, 69, 105, 106
- Impregnated curtains, 30
- Impregnated screen, 29, 101
- Impregnation, 81, 102
- Infrastructure, 50, 51, 52
- Insecticide, 25, 26, 37, 53, 63, 78, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96
- Internally Displaced Person (IDP), 18
- Kala Azar, 16
- Knockdown, x, 55
- Labour, 63
- Larvicide, x, 24, 28, 89, 99, 100, 102, 103
- Lassa, 15
- LD<sub>50</sub> values, 27
- Leishmaniasis, 16
- LETHAL DOSE, x, 27
- Lice, 11, 92, 106
- Logical framework, 51
- Machinery factors, 56
- Maggot, x
- Manpower, 65
- Mansonia*, 6, 7, 8, 9, 38
- Mechanical vector, 4
- Medical waste, 21
- Mites, 5, 12, 93
- Molluscicide, 85, 97, 103
- Monitor, 51, 52
- Morbidity, x, 35
- Mortality, x
- Mortisans group, 16
- Mosquito coils, 30
- Mosquito nets, 30, 102
- Mosquitoes, 5, 6, 28, 94, 105
- Murine typhus, 15
- Mus musculus*, 14
- Musca domestica* (Housefly), 9
- Musca sorbens* (Facefly), 9
- Nozzles, 58
- Onchocerciasis, 16, 90
- Oncomelania*, 17
- Order Acarina, 5
- Order Araneida, 5
- Order Dictyoptera, 5
- Order Diptera, 5
- Order Heteroptera, 5
- Order Scorpionida, 5
- Order Siphonaptera, 5
- Organochlorines (OC), 24
- Personnel, 45, 51, 52, 66, 67, 69, 70
- Personnel organisation, 67
- Pesticide application, 77
- Phlebotominae*, 16
- Plan programme, 41
- Population density, 36, 39
- Portable fogging machines, 61, 100, 101, 102, 103
- Pyrethroids, 26, 83
- Rat fleas (*Xenopsylla cheopis*), 13
- Rats, 14, 15
- Rattus norvegicus*, 14, 15
- Rattus rattus*, 14, 15
- Reduviid bugs, 16
- Relapsing fever, 17
- Repellents, 31
- Residual spraying, xi, 23, 55, 58, 66, 90, 103

## INDEX

- Resistance, xi, 36, 37, 51, 52
- Rodents, 14, 98, 104
- Roof rat, 14
- Safety measures, 50, 71
- Sandfly, 16
- Scorpions, 5
- Select options, 41
- Shelter, 19
- Shistosomiasis, 17
- Shistosomiasis (or bilharzia), 17
- Simuliidae, 16, 25
- Soft tick, 17
- Space spraying, xi, 23, 55, 70, 92
- Spray man, 71, 109
- Spraying practice, 67
- Strategy, 40
- Suspension Concentrate (SC),  
53, 54
- Synthetic pyrethroids (PY), 26
- Tabanid or Horsefly, 16
- Ticks, 5, 17, 103, 106
- Toxicity, 26
- Toxicity and hazard, 26
- Training, 46, 51, 52, 67, 68, 69
- Training course, 46
- Traps, 29, 36, 101
- Trombiculid mites, 12
- Tsetse flies, 16, 91, 100, 101
- Tsetse fly traps, 29
- Ultra Low Volume liquid (UL),  
53, 55
- Wastewater, xi, 22
- Water supply, 22
- Wettable Powder (WP), 54, 79
- Yellow fever, 8, 35

## **Other titles in the WEDC Emergency Publications Series**

### **Emergency Water Sources**

Guidelines for selection and treatment

*Sarah House and Bob Reed*

These guidelines have been designed to help those involved in the assessment of emergency water sources to collect relevant information in a systematic way, to use this information to select a source or sources and to determine the appropriate level of treatment required to make the water suitable for drinking.

### **Out in the Cold**

Emergency water supply and sanitation for cold regions

*Mark Buttle and Michael Smith*

This handbook is designed for aid workers working in cool temperate or cold regions. It is designed to provide specific supplementary information that can be used together with the information given in more general emergency manuals.

*Due 2000*

### **Emergency Sanitation**

Assessment and programme design

*Sohrab Baghri and Bob Reed*

This manual is being developed in close co-operation with the major international relief organisations to assist in the selection, design and implementation of emergency sanitation projects. The manual covers all aspects of emergency sanitation including excreta disposal, solid waste collection and disposal, vector control, drainage and hygiene promotion. It is presented in a similar format to *Emergency Water Sources* with guidelines for selection and design supported by additional background information.